480558



WELLINGTON E. WEBB Mayor

## CITY AND COUNTY OF DENVER

DEPARTMENT OF LAW DANIEL E. MUSE CITY ATTORNEY OFFICE OF CITY ATTORNEY CONTRACTS SECTION 1445 CLEVELAND PLACE ROOM 305

DENVER, COLORADO 80202-5301 PHONE: (303) 640-3552

PHONE: (303) 640-353 FAX: (303) 640-5609

> Received Office of Enforcement

MAR - 1 2000

Compliance & Env. Justice

February 29, 2000

Mr. Gregory J. Phoebe

Technical Enforcement Program

United States Environmental Protection Agency

Region 8

999 18<sup>th</sup> Street, Suite 500

Denver, Colorado 80202-2466

Re:

First Request for Information Pursuant to Section 104 CERCLA

for the Vasquez Boulevard/I-70 Site - Denver, Colorado

Dear Mr. Phoebe:

Enclosed is the City and County of Denver First Supplement to Response to U.S. Environmental Protection Agency First Request for Information for the Vasquez Boulevard / I-70 Site.

Please do not hesitate to call me if you have any questions. Thank you.

Sincerely,

Monica Heitzmann Consulting Attorney

cc: Theresa M. Donahue, Manager, Department of Environmental Health Shaun Sullivan, Assistant City Attorney, City and County of Denver

Encl.

10Phoebeltr

City and County of Denver First Supplement to Response to U.S. Environmental Protection Agency First Request for Information for the Vasquez Boulevard / I-70 Site Sent to the Department of Environmental Health

- 12. Provide a listing of any environmental or other reports you may have that relate to environmental conditions on or about the Omaha and Grant smelter facility and also properties in the vicinity of the former Argo Smelter and Globe Smelter.
  - u. Initial Site Characterization for Denver Coliseum, prepared by Pinyon Environmental Engineering Resources, Inc., dated August 12, 1994, attached as 12(u).
  - v. National Western Stock Show Environmental Assessment Review, prepared by Hydro-Triad, Ltd., dated August 1990, attached as 12(v).
  - w. National Western Stock Show Environmental Assessment Review, prepared by Hydro-Triad, Ltd., dated March, 1991 attached as 12(w).